

**To:** Wagner, Christine[Wagner.Christine@epa.gov]; Nonresponsive based on revised scope @westonsolutions.com]; Nonresponsive based on revised scope @WestonSolutions.com]  
**Cc:** Caporale, Cynthia[Caporale.Cynthia@epa.gov]; Costas, Robin[Costas.Robin@epa.gov]; Houston, Kathleen[houston.kathleen@epa.gov]  
**From:** Curry, John[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8398DE176926428C91C31602D2AE891C-JCURRY]  
**Sent:** Thur 4/30/2020 8:24:11 PM (UTC)  
**Subject:** Shiloh Church Rd Removal Action WO#2003012 R35774  
[2003012 Supplemental Report Shiloh Church Road Memo April 2020.pdf](#)

Attached is the Supplemental Memo for Shiloh Church Rd Removal Action WO#2003012 DAS R35774. Please contact me at 410/305-2608 if you have any questions. A copy of this e-mail will be retained in the case file.

John D. Curry  
Acting Laboratory Section Chief  
EPA Region 3  
Laboratory Service & Applied Science Division  
Laboratory Section (3LS21)  
EPA Environmental Science Center  
710 Mapes Road  
Ft. Meade, Md 20755  
410-305-2608

---

**From:** Curry, John  
**Sent:** Thursday, April 16, 2020 4:35 PM  
**To:** Wagner, Christine <Wagner.Christine@epa.gov>; Nonresponsive based on revised scope @westonsolutions.com>; Nonresponsive based on revised scope @WestonSolutions.com>  
**Cc:** Caporale, Cynthia <Caporale.Cynthia@epa.gov>; Costas, Robin <Costas.Robin@epa.gov>; Houston, Kathleen <houston.kathleen@epa.gov>  
**Subject:** Shiloh Church Rd Removal Action WO#2003012 R35774

This e-mail serves as notification that Region III Laboratory Final Results (Final Report) for **Work Order 2003012, Shiloh Church Rd Removal Action Site** have been released. Please see the attached PDF file and EDD (text) file.

*Note: Refer to the signed version of the Region III Laboratory Final Results report for sample descriptions, qualifier codes explanations, and quality control information. Refer to the signed report if any differences in data are found in the electronic (.txt) file. Some results in EDD file may differ slightly from PDF due to program calculations.*

Please contact me at 410/305-2608 or Robin Costas at 410/305-2659, if you experience delivery problems with your report or to provide feedback. A copy of this e-mail will be retained in the case file.

John D. Curry  
Acting Laboratory Section Chief  
EPA Region 3  
Laboratory Service & Applied Science Division  
Laboratory Section (3LS21)  
EPA Environmental Science Center  
710 Mapes Road  
Ft. Meade, Md 20755  
410-305-2608